



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Monroe County are stored on microfilm Reel 4658 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor

T


7

N

R

I

W



Township N° VII North of the Base line, Range N° I West of the 2.22 Meridian. Surveyed by Arthur Hendrix.

Description of the Soil on the interior Sectional lines.

Between Sections	Quality &c	Between Sections	Quality &c	Between Sections	Quality &c
35-36	Land rolling. Timber Oak & Hickory	33-34	Land rolling. Timber Birch. Oak & Hickory	20-21	Land rolling. Timber Sugar. Oak. Birch
34-35	ditto	32-33	ditto	19-20	ditto
33-34	ditto	31-32	Rich level soil. Timber Same	18-19	ditto
32-33	ditto	30-31	ditto	17-18	Land rolling. Timber Birch. Sugar. Oak. Birch
31-32	Land level. Timber Same	29-30	ditto	16-17	ditto
30-31	ditto	28-29	ditto	15-16	ditto
29-30	Land flat. Timber. Birch. Oak & Walnut	27-28	ditto	14-15	ditto
28-29	ditto	26-27	ditto	13-14	ditto
27-28	Land hilly. Timber Oak. Hickory & Birch	25-26	ditto	12-13	ditto
26-27	ditto. Timber Oak. Birch & Hickory	24-25	ditto	11-12	ditto
25-26	ditto	23-24	ditto	10-11	ditto
24-25	Land flat. Timber Birch. Gum. Oak & Hickory	22-23	Rolling Rich soil. Timber Sugar. Oak. Birch	9-10	ditto
23-24	ditto	21-22	ditto	8-9	ditto
22-23	ditto	20-21	ditto	7-8	ditto
21-22	ditto	19-20	ditto	6-7	ditto
20-21	ditto	18-19	ditto	5-6	ditto
19-20	ditto	17-18	ditto	4-5	ditto
18-19	ditto	16-17	ditto	3-4	ditto
17-18	ditto	15-16	ditto	2-3	ditto
16-17	ditto	14-15	ditto	1-2	ditto
15-16	ditto	13-14	ditto		
14-15	ditto	12-13	ditto		
13-14	ditto	11-12	ditto		
12-13	ditto	10-11	ditto		
11-12	ditto	9-10	ditto		
10-11	ditto	8-9	ditto		
9-10	ditto	7-8	ditto		
8-9	ditto	6-7	ditto		
7-8	ditto	5-6	ditto		
6-7	ditto	4-5	ditto		
5-6	ditto	3-4	ditto		
4-5	ditto	2-3	ditto		
3-4	ditto	1-2	ditto		
2-3	ditto				
1-2	ditto				

South Boundary

West On the South Boundary of sec. 36. T. 7. N. R. 1 W.

40.00 Set a 7/8" post from which
Beech 6 in dia. bears N 18 W 12 the dist. to

No. 5 " " " S 45 W 6 " "

80.00 Set a post for the cor of sec. 35 & 36 from which

Beech 16 in dia. bears S 34 E 6 the dist. to

No. 12 " " " N 10 E 26 " "

Grounds hilly; Timber Oak.

West On the South Boundary of sec. 35. T. 7. N. R. 1 W.

19.25 To a Poplar 30 in dia. in the line.

40.00 Set a 7/8" post from which

Mulberry 12 in dia. bears N 65 W 36 the dist. to

Blue Ash 10 " " " S 66 E 10 " "

80.00 Set a post for the cor of sec. 34 & 35 from which

Beech 15 in dia. bears N 53 E 8 the dist. to

No. 9 " " " S 75 W 13 " "

Hilly Oak Grounds. March 31st 1811.

West On the South Boundary of sec. 34. T. 7. N. R. 1 W.

30.00 To a Brook 6 links wide. corner S

40.00 Set a 7/8" post from which

Beech 18 in dia. bears S 65 E 8 the dist. to

No. 12 " " " N 83 W 20 " "

77.50 To a Brook 250 links wide. corner S

80.00 Set a post for the cor of sec. 33 & 34 from which

Beech 30 in dia. bears N 82 W 40 the dist. to

Elm 10 " " " N 77 E 27 " "

Post on the Bank of Brook. April 1st 1811. Grounds hilly.

West On the South Boundary of sec. 33. T. 7. N. R. 1 W.

26.00 To a Brook 40 links wide. corner N.

T. No. of N. R. No. 177 2nd Mer. Ind.

Nick 16 in dia: here South 21 lbs dist; to Corn a very high hill

80.00 Set a post further cor of sec 13 & 14 from which, W Oak 15 in dia: here N 65 E 4 lbs dist; to, Buck 7 " " N 55 W 5 " " Sand land Timber Buck, Sugar, &c.

North On the East Boundary of sec. 13. T. 7 N. R. 1 W.
6.00 To a Brook 30 lbs mid, corner S.W.
38.00 " " 20. 30 " " " W
40.00 A Nick 14 in dia: stands for the cor of sec. 14.
45.00 Came to a Creek running S.W. kept up in it 15 lbs left the West.
80.00 A Buck 24 in dia: stands for the cor of sec 12 & 13. Hilly Buck land.

North On the East Boundary of sec. 12. T. 7 N. R. 1 W.
1.00 To a Brook 250 lbs mid, corner W.
40.00 Set a post suppost from which, Buck 10 in dia: here S 35 W 13 lbs dist; to, W Oak 36 " " N 16 W 20 " "
66.50 To a W Oak 33 in dia: in the line.
80.00 Set a post further cor of sec 17 & 18 from which, Sugar 16 in dia: here N 9 E 16 lbs dist; to, Do 15 " " S 65 W 21 " " Sand middling low high hills. Timber Oak Buck &c.

North On the East Boundary of sec. 1. T. 7 N. R. 1 W.
37.75 To a W Oak 36 in dia: in the line.
40.00 Set a post suppost from which, W Oak 14 in dia: here N 45 E 19 lbs dist; to, Nick 6 " " N 45 W 24 " "

T. No. of N. R. No. 177 2nd Mer. Ind.

75.00 To a Brook 3 lbs mid, corner E.
80.00 Set a post further cor of T. 7 & 8. N. R. 1 E & 1 W from which, W Oak 24 in dia: here N 15 E 25 lbs dist; to, under a Buck 10 " " S 39 W 3 " " Hilly Oak land.

North Boundary. Apr 2^d 1811 B. 179
West On the South Boundary of sec. 36. T. 8 N. R. 1 W.
40.00 Set a post suppost from which, W Oak 10 in dia: here S 83 W 30 lbs dist; to, Do 18 " " N 83 E 19 " "
42.00 To a Brook 8 lbs mid, corner S.E.
80.00 Set a post further cor of sec 35 & 36 from which, Nick 3 in dia: here N 62 E 3 lbs dist; to, W Oak 20 " " N 32 W 18 " " Poor Hilly Oak land.

West On the South Boundary of sec. 35. T. 8 N. R. 1 W.
39.00 To a Brook 25 lbs mid, corner S.
40.00 Set a post suppost from which, Bottom 6 in dia: here N 50 W 10 lbs dist; to, W. Buck 3 " " S 59 E 14 " "
80.00 Set a post further cor of sec 34 & 35 from which, Buck 5 in dia: here N 72 W 11 lbs dist; to, Nick 11 " " N 4 E 21 " " Sand middling good land; Timber Buck, Sugar

West On the South Boundary of sec. 34. T. 8 N. R. 1 W.
13.50 To a Brook 8 lbs mid, corner N.E.
40.00 Set a post suppost from which, Sugar 14 in dia: here N 31 E 10 lbs dist; to, Buck 4 " " S 65 W 25 " "
80.00 Set a post further cor of sec 33 & 34 from which,

60.75 To a Sugar 24 in dia. in the m. w.
 78.50 To a Brook 150 pike mid. corner. S.E.
 80.00 Set apart in the Bank of a Brook corner of the
 137th from which,
 Sugar. 19 in dia. beam. N 29 E 7 1/2 the dist. to
 Elm. 18 " " " N 63 W 31 " "
 Good land Timber Brook Sugar & Ash

North Oak East Bona of sec. 13 T. 17 N. R. 2 W.
 40.00 Set apart from which,
 Sugar. 12 in dia. beam. N 55 E 10 the dist. to
 Do. 16 " " " S 55 W 15 " "
 55.00 To a Brook 150 pike mid. corner S.W.
 66.00 To a Sugar. 19 in dia. with line.
 73.00 " " Brook corner S.E.
 80.00 Set apart for the corner 12 & 13 from which,
 Brook 36 in dia. beam. N 55 E 17 the dist. to
 Do. 16 " " " N 60 W 24 " "
 Rich land good Mill Seab. & Mill timbered

North Oak East Bona of sec. 12 T. 17 N. R. 2 W.
 15.00 To a Brook corner S.W.
 22.00 " " Do. " S.E.
 34.00 " " Brook 20 pike mid. corner S.W.
 40.00 Set apart from which,
 Brook 36 in dia. beam. N 15 E 14 the dist. to
 Do. 24 " " " S 5 E 31 " "
 47.00 To a Brook corner S.W.
 77.00 " " Do. " S.E.
 80.00 Set apart for the corner 14 & 12 from which,
 Brook 16 in dia. beam. N 71 W 14 the dist. to
 Sugar. 16 " " " S 83 E 19 " "
 Good land Timber Sugar Walnut Elm, &c.

North Oak East Bona of sec. 1 T. 17 N. R. 2 W.
 15.00 To a Brook corner S.W.
 30.00 To a Walnut 18 in dia. in the line.
 35.00 To a ledge of Rock
 40.00 Set apart from which a
 Brook 18 in dia. beam. S 82 E 13 the dist. to
 Elm. 18 " " " N 107 W 25 " "
 60.00 To a Spring corner E.
 77.00 Set 150 pike West of the post set by James Holmes
 moved it to the intersection for the cor. of S. 178
 N. R. 142 W & set apart from which,
 Brook 12 in dia. beam. N 73 W 12 the dist. to
 Oak 30 " " " N 40 E 23 " "
 Good land; Timber Sugar Brook, &c.
 April 1881.
 Surveyed by
 Alexander Holmes
 Deputy Sur.

Subdivisions

North Return Sec. 35 & 36 T. 17 N. R. 1 W.
 40.00 Set apart from which,
 Brook 18 in dia. beam. S 50 E 36 the dist. to
 Do. 10 " " " N 78 W 7 " "
 76.00 To a Brook 20 pike mid. corner N.
 80.00 Set apart for the corner 25 & 26 of 35 & 36 from which,
 Brook 18 in dia. beam. N 30 W 28 the dist. to
 Do. 12 " " " S 56 E 28 " "
 Sand rolling Timber Oak, & Hemlock.

East Oak & Sand line between Sec. 25 & 36 T. 17 N. R. 1 W.
 23.00 To a Brook 20 pike mid. corner S.W.
 35.00 " " Do. 200 " " " N.W.

T. N. J. N. R. N. 177 2nd Mr. Ind.

40.00	Set a trap for supeast
43.50	To the above named River. 200 lbs. m. d., Com. S. W.
80.10	Intersect the N. 13 line to East Boundary at the first cor. of sec. 25 & 36. Same the same.
West	On the line between Sec. 25 & 36. T. J. N. R. 177.
40.05	Set the trap for supeast at the ar. dist. in the line from which Sugar 10 in dist. from. N. 17 E. 32 1/2
80.10	To the first cor. of sec. 25, 26, 35 & 36.
North	Return Sec. 25 & 36. T. J. N. R. 177
40.00	Set a trap for supeast from which, Nicks 10 in dist. from. N. 15 W. 27 1/2 the dist. to, Col. 18 " " " N. 17 W. 18 " "
80.00	Set a post for the cor. of sec. 23, 24, 25 & 36. From which, Buck 15 in dist. from. N. 15 E. 25 (R) dist. to, Lo. 8 " " " N. 16 W. 23 " "
	Same the same.
East	Quadrant line between Sec. 24 & 25 T. J. N. R. 177
40.00	Set a trap for supeast.
42.00	To a River 150 lbs. m. d., Com. S. W.
80.00	Intersect the East Boundary 114 lbs. South of the post cor. of sec. 24 & 25. Same the same.
West	On the line between Sec. 24 & 25 T. J. N. R. 177
40.00	Set the trap for supeast at the ar. dist. in the line from which, Buck 12 in dist. from. N. 14 E. 11 the dist. under a Lo. 10 " " " N. 13 W. 12 " "
80.00	To the post cor. of sec. 23, 24 & 25 & 36.
North	Return Sec. 24 & 25. T. J. N. R. 177
	Comp?

arr. 26
22 900

T. N. J. N. R. N. 177 2nd Mr. Ind.

40.00	Set a trap for supeast from which, Buck 8 in dist. from. N. 15 E. 9 the dist. to, Lo. 4 " " " N. 20 W. 13 " "
80.00	Set a post for the cor. of sec. 13, 14, 23, & 24 from which, Maple 5 in dist. from. N. 21 W. 23 the dist. to, Lo. 8 " " " N. 15 W. 39 " "
	Same the same.
East	Quadrant line between Sec. 13 & 24 T. J. N. R. 177
40.00	Set a trap for supeast.
58.50	To a River 150 lbs. m. d., Com. S. E.
80.12	Intersect the N. 13 line to East Boundary at the first cor. of sec. 13 & 24. Same the same.
West	On the line between Sec. 13 & 24 T. J. N. R. 177
40.06	Set the trap for supeast at the ar. dist. in the line from which, Buck 10 in dist. from. West 20 the dist. under a Lo. 15 " " " N. 14 W. 20 " "
80.12	To the post cor. of sec. 13, 14, 23 & 24
North	Return Sec. 13 & 24. T. J. N. R. 177
40.00	Set a trap for supeast from which, Buck 20 in dist. from. N. 14 W. 23 the dist. to, Lo. 12 " " " N. 10 E. 20 " "
80.00	Set a post for the cor. of sec. 11, 12, 13 & 14 from which, Nicks 8 in dist. from. N. 30 E. 7 the dist. to, N. 18 " " " N. 16 W. 22 " "
	Same flat; Timber Buck, Gum, Ash, Oak, Walnut,
East	Quadrant line between Sec. 13 & 14 T. J. N. R. 177
25.00	To a River 15 lbs. m. d., Com. S.
40.00	Set a trap for supeast post.
76.00	To a River 200 lbs. m. d., Com. S.

T. N. of N. R. No. 177 Dnd Mⁿ. Ind^d.

80.00	Intersut the East Boundary at the post on of sec 12 & 13 Land the same.
West	Return Sec 12 & 13 T. 7 N. R. 1 W. Line line.
40.00	Set the temp ^l 7 th support at the ar. dist on the line from which, W Oak 19 in dist. line S 5 W. 3 lbs. dist and on. Ironwood Co. 4 " A 21 E. 29 " "
80.00	Set the post on of sec 11, 12, 13 & 14
North	Return Sec 11 & 12 T. 7 N. R. 1 W.
21.00	To a Brook 10 links m ^d , corner S. E.
40.00	Set a 7 th support from which, W Oak 20 in dist. line N 4 E. 23 lbs. dist; to Lo. 12 " " " S 42 W. 26 " "
73.00	To a Brook 12 links m ^d , corner S. E.
80.00	Set a post for the cor of sec 1, 2, 11 & 12 from which, Beck 10 in dist. line N 46 W. 13 lbs. dist; to Lo. 12 " " " A 21 E. 19 " " Land hilly, Timber Oak, Hick, & Buck, &c.
East	On a Random line between Sec 1 & 12 T. 7 N. R. 1 W.
40.00	Set a temp ^l 7 th support.
80.38	Intersut the East Boundary 48 links North of the post cor of sec 1 & 12. Land hilly, Part. tim ^r . Timber Oak & Hick.
West	On the line line between Sec 1 & 12 T. 7 N. R. 1 W.
10.19	Set the temp ^l 7 th support at the ar. dist on the line from which, Dogwood 6 in dist. line N 30 W. 17 lbs. dist and on Maple 10 " " " S 7 W. 20 " "
80.38	Set the post on of sec 1, 2, 11 & 12.
North	Return Sec 1 & 2 T. 7 N. R. 1 W.

T. N. of N. R. No. 177 Dnd Mⁿ. Ind^d.

40.00	Set a 7 th support from which, W Oak 20 in dist. line N 45 E. - the dist; to Lo. 20 " " " N 6 W. 9 " "
81.03	Intersut the N. Boundary at the post on of sec 35 & 36 T. 8 N. R. 1 W. Land the same.
North	Return Sec 34 & 35 T. 7 N. R. 1 W.
32.00	To a Brook 12 links m ^d , corner N. W.
40.00	Set a 7 th support from which, W Walnut 10 in dist. line N 70 W. 15 lbs. dist; to Lo. 7 " " " A 42 E. 14 " "
80.00	Set a post for the cor of sec 26, 27, 34 & 35 from which, Beck 8 in dist. line N 72 E. 17 lbs. dist; to Lo. " " " A 11 W. 8 " " Land flat, Timber Buck, Elm, Oak, & Hick.
East	On a Random line between Sec 26 & 35 T. 7 N. R. 1 W.
40.00	Set a temp ^l 7 th support
73.00	To a Brook 200 lbs m ^d , corner N. W.
80.00	Intersut the N. E. line 12 links South of the post on of Sec 25, 26, 35 & 36. Land the same.
West	On the line line between Sec 26 & 35 T. 7 N. R. 1 W.
40.00	Set the temp ^l 7 th support on the line at the ar. dist from which, Beck 6 in dist. line N 56 E. 14 lbs. dist; and on Lo. 10 " " " S 20 E. 11 " "
80.00	Set the post on of sec 26, 27, 34 & 35.
North	Return Sec 26 & 27 T. 7 N. R. 1 W.
40.00	Set the 7 th support in a Brook 175 lbs m ^d , corner N.
80.00	Set a post for the cor of sec 22, 23, 26 & 27 from which, W Oak 20 in dist. line N 21 E. 6 lbs. dist; to Beck 10 " " " S 4 W. 39 " "

I. N. of A. R. N. of W. D. M. S. S. S. S.

Sande the same.

East	On a random line between Sur 23 & 26. I. J. M. R. 1 W.
40.00	Set a trap for support.
80.00	Intersect the N. 15 line 10 links South of the post on of sur. 23, 24 & 26. Sande the same.
West	On the same line between Sur 23 & 26. I. J. M. R. 1 W.
40.00	Set the trap for support at the ar. dist. on the same line from which, Reck. 5 in dist. line. N. 15 E. 11 the dist. and a No. 5 " " " N. 15 W. 17 " "
80.00	Set the post on of sur. 22, 23, 26 & 27.
North	Between Sur 22 & 23. I. J. M. R. 1 W.
40.00	Set a trap for support from which, Reck. 15 in dist. line. N. 15 W. 17 the dist. to, No. 15 " " " N. 15 W. 27 " "
80.00	Set a post for the corner of sur. 14, 15, 22 & 23 from which,
East	On a random line between Sur 14 & 23. I. J. M. R. 1 W.
40.00	Set a trap for support.
80.00	Intersect the N. 15 line 20 links South of the post on of Sur 13, 14, 23 & 24 Sande the same.
West	On the same line between Sur 14 & 23. I. J. M. R. 1 W.
40.00	Set the trap for support at the ar. dist. on the same line from which, Reck. 10 in dist. line. N. 15 E. 16 the dist. and a No. 8 " " " N. 16 E. 17 " "
80.00	Set the post on of sur. 14, 15, 23 & 22.
North	Between Sur 14 & 23. I. J. M. R. 1 W.
40.00	Set a trap for support from which, N. 16 E. 12 in dist. line. N. 12 W. 4 the dist. to,

I. N. of A. R. N. of W. D. M. S. S. S.

80.00	Set a post for the corner of sur. 10, 11, 14 & 15. From which, Reck. 6 in dist. line. N. 39 W. 19 the dist. to, No. 5 " " " N. 20 E. 15 " "
	Sande the same.
East	On a random line between Sur 11 & 14. I. J. M. R. 1 W.
40.00	Set a trap for support.
80.50	Intersect the N. 15 line 18 links South of the post on of Sur 11, 12, 13 & 14. Sande the same.
West	On the same line between Sur 11 & 14. I. J. M. R. 1 W.
40.25	Set the trap for support at the ar. dist. on the same line from which, Reck. 3 in dist. line. N. 62 E. 5 the dist. and a No. 5 " " " N. 28 E. 10 " "
80.50	Set the corner of sur. 10, 11, 14 & 15.
North	Between Sur 10 & 11. I. J. M. R. 1 W.
44.30	Set a Reck. 15 in dist. on the line.
40.00	Set a trap for support from which, Reck. 4 in dist. line. N. 57 W. 20 the dist. to, N. Walnut, 10 " " " N. 13 E. 20 " "
80.00	Set a post for the corner of sur. 2, 3, 10 & 11 from which, Reck. 12 in dist. line. N. 41 E. 10 the dist. to, No. 5 " " " N. 27 E. 6 " "
	Sande the same.
East	On a random line between Sur 2 W. I. J. M. R. 1 W.
40.00	Set a trap for support.
80.00	Intersect the N. 15 line 100 links South of the post on of Sur 1, 2, 11 & 12 Sande the same.
West	On the same line between Sur 2 W. I. J. M. R. 1 W.

T. N. of A. R. No 177 Dnd Mrs. Sud^a.

40,00 Set the trap for support at the ar. dist. in the line
from which, Buck 8 in air. here. N67W the dist.
under No. 44 " " N9E 20. "
80,00 Set the post on of ear 2, 3, 10 & 11.

North Return Sur 21 & 23 T. N. R. 177.
40,00 Set a post support from which,
Buck 15 in air here. N40E 15 the dist. to
No. 15 " " N24 W. 12. "
19,50 Support at the N. Point. 7 55 links West of the post on of
Sur 34 & 35. T. N. R. 177 and set a post for the ear
" 21.3 from which,
N Oak 15 in air here. N41E 14 the dist. to
Buck 15 " " N76 W. 24. "
Sands and soil the same.

North Return Sur 33 & 34 T. N. R. 177.
17,00 To a Brook 100 links m^{de}, lower S. E.
40,00 Set a post support from which,
Buck 12 in air here. East 30 links dist. to
Egm. 10 " " N69 W. 25 " "
80,00 Set a post for the ear of ear 27, 28, 33 & 34 from which,
Buck 12 in air here. S51E 14 the dist. to
No. 8 " " N44E 23. "
Sands rolling. Timber Buck, Oak, & Hickory.

East On a Random line between Sur 27 & 34 T. N. R. 177.
31,00 To a Brook 20 links m^{de}, lower S. E.
40,00 Set a trap for support.
80,00 Set a post for the ear of ear 26, 27, 34 & 35. Sands the same.

West On the line between Sur 27 & 34 T. N. R. 177.

T. N. of A. R. No 177 Dnd Mrs. Sud^a.

40,00 Set the trap for support at the ar. dist. in the line
from which, Maple 10 in air here. N44E 24 the dist.
under Hick 12 " " N27 W. 14. "
80,00 Set the post on of ear 27, 28, 33 & 34.

North Return Sur 27 & 28 T. N. R. 177.
24,00 To a Brook 100 links m^{de}, lower S. E.
40,00 Set a post support from which,
Buck 6 in air here. N26E 6 links dist. to
No. 10 " " N36 W. 8 " "
54,00 To a Brook 150 links m^{de}, lower W.
80,00 Set a post for the ear of ear 21, 22, 27 & 28 from which,
Buck 8 in air here. S4E 25 links dist. to
Hick 10 " " N87 W. 24. "
Sands rich and level, Timber Buck, Oak, & Hickory.

East On a Random line between Sur 22, & 27 T. N. R. 177.
36,50 To a Brook 10 links m^{de}, lower S.
40,00 Set a trap for support.
46,00 To a Brook 10 links m^{de}, lower S. E.
53,00 " " No. 10 " " S. W.
80,00 Set a post for the ear of ear 24 links North of the post on of
Sur 22, 23, 26 & 27. Sands the same.

West On the line between Sur 22 & 27 T. N. R. 177.
40,00 Set the trap for support at the ar. dist. in the line
from which, Buck 25 in air here. N18E 30 the dist.
under No. 15 " " S47 W. 11 " "
80,00 Set the post on of ear 24, 22, 27 & 28.

North Return Sur 21 & 22 T. N. R. 177.
40,00 Set a post support from which,
Buck 12 in air here. N32E 9 links dist. to

T. N. of A. R. No 177 Quad Mer. Ind.

80.00	Reuk. 5 in dist. from S 57.7 W. 1/4 dist. of Set a post for the corner of sec. 15. 16. 21 & 22 from which, Reuk. 10 in dist. from S 87 E. 15 the dist. to, Do 15 " " " S 79 W. 12 " " Sandrolling Birch Timber Oak Oak & Poplar & Walnut,
East 40.00 79.86	On a Random line between Sec. 15 & 22 T. 7. N. R. 1 W. Set a temporary 1/4 sec post. Intersect the N 18 line at the post corner of sec. 14. 15 & 22 & 23. Land the same.
West 39.93 79.86	On the line line between Sec. 15 & 22 T. 7. N. R. 1 W. Set the temporary 1/4 sec post at the ar. dist. in the line line from which, Poplar 100 in dist. from S 49 W. 10 the dist. Made a Sugar 20 " " " N 2 E. 18 " " To the post corner of sec. 15. 16. 21 & 22.
North 40.00 80.00	Between Sec. 15 & 16 T. 7. N. R. 1 W. Set a temporary 1/4 sec post from which, Sugar 7 in dist. from S 56 E. 11 the dist. to, Do 10 " " " S 86 W. 17 " " Set a post for the corner of sec. 9. 10. 15 & 16 from which, Reuk. 12 in dist. from S 40 W. 14 the dist. to, Sugar 8 " " " N 46 E. 11 " " Sandrolling Birch Oak & Hick. Sugar, Ash &
East 40.00 73.00 80.00	On a Random line between Sec. 10 & 15 T. 7. N. R. 1 W. Set a temporary 1/4 sec post. To a Brook 4 1/2 miles near, Source of Intersect the N 18 line 18 miles South of the post corner of sec. 10. 11. 14 & 15. Land the same.

T. N. of A. R. No 177 Quad Mer. Ind.

West 40.00 80.00	On the line line between Sec. 10 & 15 T. 7. N. R. 1 W. Set the temporary 1/4 sec post at the ar. dist. in the line line from which, Reuk. 20 in dist. from S 40 W. 18 the dist. to, Sugar 8 " " " S 8 E. 11 " " To the post corner of sec. 9. 10. 15 & 16.
North 40.00 62.00 80.00	Between Sec. 9 & 10 T. 7. N. R. 1 W. Set a temporary 1/4 sec post from which, Sugar 10 in dist. from S 18 E. 10 the dist. to, Logwood 3 1/2 " " " S 57 E. 9 " " To a Brook 10 miles near, Source of Set a post for the corner of sec. 3. 4. 9 & 10 from which, Reuk. 4 in dist. from S 44 E. 12 the dist. to, Walnut 6 " " " West 35 " " Land the same.
East 40.00 80.18	On a Random line between Sec. 3 & 10 T. 7. N. R. 1 W. Set a temporary 1/4 sec post. Intersect the N 18 line 25 miles South of the post corner of Sec. 2 & 3 10 & 11. Land the same.
West 40.09 80.18	On the line line between Sec. 3 & 10 T. 7. N. R. 1 W. Set the temporary 1/4 sec post at the ar. dist. in the line line from which, Reuk. 3 in dist. from S 45 E. 13 the dist. and a Do 18 " " " N 27 W. 21 " " To the post corner of sec. 3. 4. 9 & 10.
North 40.00 79.94	Between Sec. 3 & 10 T. 7. N. R. 1 W. Set a temporary 1/4 sec post from which, Oak 20 in dist. from S 40 E. 25 the dist. to, Reuk. 5 " " " " S 30 W. 4 " " Intersect the N 18 line 18 miles West of the post corner of Sec. 3. 3. 3. 4. T. 8. N. R. 1 W. and set a post for the corner of

T. A. of A. R. No 17 2nd Mer. Ind.

Set 3421. From which,
Beck. 8 in dist. from N 1/2 E. 20 lms. dist. to,
Do. 20 " " S 8 E. 27 " "
Land the same.

North	Between Sur 32133 T. A. R. 17.
6.00	To spring 8 lms. n.e., Courser E.
20.00	" " 10 " " " " E.
40.00	Set a post for the end of line from which, Ath. 20 in dist. from N 3/4 E. 8 lms. dist. to, Beck. 6 " " " N 17 E. 20 " "
43.50	To a Brook. 15 lms. n.e., Courser N. E.
80.00	Set a post for the end of line 28, 29, 32, 33 from which, Beck. 12 in dist. from N 40 E. 14 lms. dist. to, Do. 18 " " " N 52 E. 42 " " Land rolling and rich Timber Sugar, Ash & Birch.
East	On a Random line between Sur 28133 T. A. R. 17.
12.00	To a Brook. 100 lms. n.e., Courser.
30.00	" " the N. E. end of the same.
40.00	Set a trip. to a post.
80.00	Intersect the N. E. line, 10 lms. South of the post. Co. of Sur 27, 28, 33 & 34 Land the same.
West	Between Sur 28133 T. A. R. 17. Same line.
40.00	Set the trip. to a post. at the ar. dist. on the line from from which, N. E. 20 in dist. from N 57 W. 13 lms. dist. and a Do. 24 " " " N 72 E. 12 " "
80.00	To the post Co. of line 28, 29, 32 & 33.
North	Between Sur 28129 T. A. R. 17.
40.00	Set a post for the end of line from which, A Beck. 4 in dist. from N. E. 20 in dist. from N 72 E. 12 " "

T. A. of A. R. No 17 2nd Mer. Ind. 219

55.00 To a Brook. 100 lms. n.e., Courser E.
65.00 To the East End of the same.
80.00 Set a post for the end of line 20, 21, 28 & 29 from which,
Sugar. — in dist. from N 1/2 E. 21 lms. dist. to,
Sun road 4 " " " N 68 W. 4 " "
Land the same.

East On a Random line between Sur 21 & 28 T. A. R. 17.
6.50 To a Brook. 12 lms. n.e., Courser S. E.
40.00 Set a trip. to a post.
80.10 Intersect the N. E. line at the post Co. of line 21, 22 & 28
Land the same.

West On the line between Sur 21 & 28 T. A. R. 17.
40.65 Set the trip. to a post at the ar. dist. on the line from
which, Sugar. 8 in dist. from N 1/2 E. 21 lms. dist. to,
Do. 8 " " " N 12 E. 21 " "
80.10 To the post Co. of line 20, 21, 28 & 29.

North Between Sur 20 & 21 T. A. R. 17.
40.00 Set a post for the end of line from which,
Ath. 18 in dist. from N 14 W. 26 lms. dist. to,
Beck. 8 " " " N 26 W. 19 " "
69.50 To a Brook. 10 lms. n.e., Courser E.
80.00 Set a post for the end of line 16, 17, 20 & 21 from which,
Beck. 20 in dist. from N 18 E. 12 lms. dist. to,
Sugar. 4 " " " N 20 W. 6 " "
Land the same.

East On a Random line between Sur 16 & 21 T. A. R. 17.
32.00 To a Brook. 20 lms. n.e., Courser N. E.
40.00 Set a trip. to a post.
80.10 Intersect the N. E. line at the post Co. of line 16, 16, 21 & 22.

I. N. of N. R. No 177 2nd Mer. Sud 5

Same as the same.

West On the line between Sur. 16 & 21. I. N. R. 177.
40.06 Set the trip for support at the ar. dist. on the line
from which, Sugar 10 in air. time. N 20 E. 22 the dist.
and a w. No. 5 " " N 33 E. 21 " "
80.12 To the post on of sur. 16. 17. 20 & 21.

North Between Sur. 16 & 17. I. N. R. 177.
40.00 Set a post for support from which,
Beck 5 in air. time. N 29 E. 19 the dist; to
No. 4 " " " N 81 E. 20 " "
51.00 To a Brook 5 km. n. w. corner S.
80.00 Set a post for the crop. 8. 9. 16 & 17. from which,
Beck 30 in air. time. East 3 km. dist; to
Sugar 8 " " " N 40 W. 28 " "
Same as the same.

East On a Random line between Sur. 9 & 16. I. N. R. 177.
4.00 To a Brook 6 km. n. w. corner S.
40.00 Set a trip for support.
60.00 To a Brook 10 km. n. w. corner S.
79.20 Enter at the N. B. line. 44 km. North of the post.
crop. 9. 10. 15 & 16. Same as the same.

West On the line between Sur. 9 & 16. I. N. R. 177.
39.60 Set the trip for support at the ar. dist. on the line
from which, Sugar 6 in air. time. N 13 E. 17 the dist;
and a w. corner 5 " " " N 4 W. 14 " "
79.20 To the post on of sur. 8. 9. 16 & 17.

North Between Sur. 8 & 9. I. N. R. 177.
40.00 Set a post for support from which,

I. N. of N. R. No 177 2nd Mer. Sud 5

Beck 30 in air. time. N 36 W. 26 the dist; to
No. 10 " " " N 42 E. 25 " "
80.00 Set a post for the crop. 4. 5. 8 & 9. from which,
Sugar 18 in air. time. N 8 E. 13 the dist; to
Beck 20 " " " N 79 W. 26 " "
Same as the same.

East On a Random line between Sur. 4 & 9. I. N. R. 177.
40.00 Set a trip for support.
60.00 To a Brook 10 km. n. w. corner S.
79.28 Enter at the N. B. line at the post on of sur. 3. 4 & 9.
Same as the same.

West On the line between Sur. 4 & 9. I. N. R. 177.
39.64 Set the trip for support at the ar. dist. on the line
from which, Sugar 15 in air. time. N 5 E. 17 the dist.
and a w. No. 12 " " " N 4 E. 24 " "
79.28 To the post on of sur. 4. 5. 8 & 9.

North Between Sur. 4 & 5. I. N. R. 177.
11.00 To a P. plan. 20 in air. time.
40.00 Set a post for support from which,
Beck 120 in air. time. N 46 E. 6 the dist; to
No. 4 " " " N 46 E. 18 " "
64.00 To a Brook 10 km. n. w. corner W.
80.22 Enter at the N. B. line at 33 km. East of the post on
Sur. 3. 2. 1. 3. I. N. R. 177 and set a post for the crop
" 4 & 5 from which,
Beck 15 in air. time. N 79 W. 28 the dist; to
Beck 120 " " " N 34 E. 10 " "
Same as the same.

North Between Sur. 3 & 4. I. N. R. 177.

I. N. of N. R. No 1 N. 2nd Mer. Sud.

Land the same.

West On the line between Sur 16 & 21. T. J. N. R. 1 M.
40.00 Set the trip post at the ar. dist. on the line
from which, Sugar 10 in dir. line. N 20 E. 22 lbs dist.
and a Do. 5 " " N 33 E. 21 " "
80.10 To the post on of sur. 16. 17. 20 & 21.

North Between Sur 16 & 17. T. J. N. R. 1 M.
40.00 Set a 7/8 sup post from which,
Beck 1.5 in dir. line. S 29 E. 19 lbs dist; Va
Do. 4 " " " N 81 E. 20 " "
51.00 To a Brook 3 lbs m. L. corner E.
80.00 Set a post on the cor of sur. 8. 9. 16 & 17. from which,
Beck 30 in dir. line. East 3 lbs dist; Va
Sugar 8 " " " N 40 W. 28 " "
Land the same.

East On a Random line between Sur 9 & 16. T. J. N. R. 1 M.
4.00 To a Brook 6 lbs m. L. corner E.
40.00 Set a trip post sup post.
66.00 To a Brook 10 lbs m. L. corner S.
79.20 Set out the N. B. line, 44 lbs m. L. of the post.
cor of sur. 9. 10. 15 & 16. Land the same.

West On the line between Sur 9 & 16. T. J. N. R. 1 M.
39.60 Set the trip post sup post at the ar. dist. on the line
from which, Sugar 6 in dir. line. N 13 E. 17 lbs dist;
and a ash wood 5 " " " N 4 W. 14 " "
79.20 To the post on of sur. 8. 9. 16 & 17.

North Between Sur 8 & 9. T. J. N. R. 1 M.
40.00 Set a 7/8 sup post from which,

I. N. of N. R. No 1 N. 2nd Mer. Sud.

Beck 30 in dir. line. N 36 W. 26 lbs dist; Va,
Do 10 " " " N 42 E. 25 " "
80.00 Set a post for the cor of sur. 4. 5. 8 & 9 from which,
Sugar 18 in dir. line. N 8 E. 13 lbs dist; Va,
Beck 20 " " " N 49 W. 26 " "
Land the same.

East On a Random line between Sur 4 & 9. T. J. N. R. 1 M.
40.00 Set a trip post sup post.
60.00 To a Brook 10 lbs m. L. corner S.
79.20 Set out the N. B. line at the post on of sur. 3. 4. 9 & 10.
Land the same.

West On the line between Sur 4 & 9. T. J. N. R. 1 M.
39.60 Set the trip post sup post at the ar. dist. on the line
from which, Sugar 15 in dir. line. S 45 E. 17 lbs dist;
and a Do 12 " " " S 4 E. 24 " "
79.20 To the post on of sur. 4. 5. 8 & 9.

North Between Sur 4 & 5. T. J. N. R. 1 M.
11.00 To a Poplar 20 in dir. on the line.
40.00 Set a 7/8 sup post from which,
Beck 120 in dir. line. N 46 E. 6 lbs dist; Va
Do 4 " " " N 4 E. 18 " "
64.00 To a Brook 10 lbs m. L. corner W.
80.20 Set out the N. B. line at 33 lbs East of the post on
Sur 3. 2 & 3. T. J. N. R. 1 M. and set a post for the cor "
" 4 & 5 from which,
Beck 15 in dir. line. N 19 W. 28 lbs dist; Va,
Beck 120 " " " N 34 E. 10 " "
Land & set the same.

North Between Sur 3 & 4. T. J. N. R. 1 M.

T. N. J. N. R. N. 177 2nd Mer. Ind.

49.00	Set a 1/4 supert from which, Buck 10 in dia. beam S39E 21 links dist. to, Lo. 12 " " S48W 27 " "
48.00	To a Brook 20 links mid, corner N.E.
80.00	Set a post for the corner 29.30.31 1839 from which, Dogwood 4 in dia. beam. S44E 26 links dist. to, Oak 7 " " S49W 20 " " Sands rolling Timber same.
East	On a Kendum line between Jul 29 1839 T. J. N. R. 177.
40.00	Set a tripit 1/4 supert
80.18	Intersect the N.E. line at the post. cor of Jul 28 1839, 32 1839. Sands the same.
West	On the line between Jul 29 1839 T. J. N. R. 177.
40.09	Set the tripit 1/4 supert at the ar. dist. on the line from which, Buck 10 in dia. beam. N 28E 28 links dist, undec. Lo. 4 " " S35E 22 " "
80.18	Set the post on Jul 29.30.31 1839
West	Between Jul 30 1831 T. J. N. R. 177.
40.00	Set a tripit 1/4 supert from which, Hick 18 in dia. beam. N 45W 23 links dist. to, Sugar. 8 " " S35E 33 " "
84.85	Intersect the West Boundary 25 links South of the post cor of Jul 25 1836. T. J. N. R. 277 and set a post for the " " 30 1831 from which, Buck 8 in dia. beam. N 45E 53 links dist. to, Lo. 4 " " S47E 30 " " Sands the same.
North	Between Jul 29 1830 T. J. N. R. 177.
40.00	Set a 1/4 supert from which,

T. N. J. N. R. N. 177 2nd Mer. Ind.

	Sugar. 8 in dia. beam. S46W 17 links dist. to, Lo. 8 " " S47E 33 " "
80.00	Set a post for the corner 19.20.29 1830 from which, Buck 15 in dia. beam. S39E 22 links dist. to, Lo. 25 " " S48E 31 " " Sands the same.
East	On a Kendum line between Jul 30 1839 T. J. N. R. 177.
31.50	To a Brook 75 links mid, corner N.E.
37.50	" " Lo. 75 " " N.E.
40.00	Set a tripit 1/4 supert
40.50	To a Brook 75 links mid, corner N.E.
81.00	Intersect the N.E. line, 100 links South of the post cor of Jul 20.21.28 1829. Sands the same.
West	On the line between Jul 20 1829 T. J. N. R. 177.
40.50	Set the tripit 1/4 supert at the ar. dist. on the line from which, This corner could not be established
81.00	To the post cor of Jul 19.20.29. 1830
West	Between Jul 19 1830 T. J. N. R. 177.
12.00	To a Brook 16 links mid, corner N.E.
40.00	Set a 1/4 supert from which, Buck 8 in dia. beam. N 4E 34 links dist. to, Lo. 10 " " S35W 11 " "
62.00	To a Brook 12 links mid, corner N.E.
84.74	Intersect the West Boundary 164 links South of the post cor of Jul 24 1835 T. J. N. R. 277 and set a post for the corner 19 1830 from which, A Hick 14 in dia. beam. Sands for the corner of Jul 19 1830 Sands the same.
North	Between Jul 19 1830 T. J. N. R. 177

T. N. of A. R. N. 1772nd Mrs. Sud.

29.00	Log Brook 80 links mid, corner N.E.
40.00	Set a post support from which, Hagberry 12 in dist. bears. N 40 W. 14 the dist. to Sugar. 15 " " " N 40 E 26 " "
80.00	Set a post further on of 17.18.19 from which, Beck 15 in dist. bears. N 43 E 11 links dist. to, Do. 10 " " " N 65 W. 15 " " Same as the same.
East	On a R. on arm line between Sur. 17 & 20 T. J. N. R. 17.
29.00	Log Brook 12 links mid, corner S.W.
40.00	Set a post 1/4 sup.
80.40	Set out the N & S line 22 links South of the post on of 16.17.20 & 21. Same as the same.
West	On the line line between Sur. 17 & 20 T. J. N. R. 17.
40.20	Set the post 1/4 sup. at the ar. dist. on the line from which, Beck 10 in dist. bears. N 26 E. 5 links dist. to, Do. 5 " " " S. 19 W. 9 " "
80.40	Set the post on of 16.18.19 & 20
West	Between Sur. 18 & 19 T. J. N. R. 17.
30.50	Log Brook 12 links mid, corner S.W.
40.00	Set a post support from which, Hagberry 12 in dist. bears. N 32 E. 40 the dist. to, Sugar. 5 " " " N 20 E 30 " "
40.03	Log Brook 45 links mid, corner S.E.
52.50	" " Do. 75 " " " N.W.
79.00	" " Do. 75 " " " S.E.
85.00	Set out the West Branch at 250 links South of the post on of 16.18.19 & 20 T. J. N. R. 27 and set a post further on " " 18 & 19 from which, Beck 4 in dist. bears. N 54 W. 40 links dist. to,

T. N. of A. R. N. 1772nd Mrs. Sud.

	Beck 4 in dist. bears. N 42 E. 8 links dist. to, Same as the same.
North	Between Sur. 17 & 18 T. J. N. R. 17.
40.00	Set a post support from which, Hagberry 24 in dist. bears. N 30 E. 6 links dist. to, Beck 6 " " " S. 8 W. 12 " "
80.00	Set a post further on of 17.18.19 from which, Beck 30 in dist. bears. South. 15 links dist. to, Do. 12 " " " N 43 W. 12 " " Same as rolling Timber Beck, Sugar & Poplar, Ash, &c.
East	On a R. on arm line between Sur. 8 & 17 T. J. N. R. 17.
23.00	Log Brook 6 links mid, corner S.W.
40.00	Set a post 1/4 sup.
80.00	Set out the N & S line 12 links South of the post on of Sur. 8.9.16 & 17. Same as the same.
West	On the line line between Sur. 8 & 17 T. J. N. R. 17.
40.00	Set the post 1/4 sup. at the ar. dist. on the line from which, Beck 12 in dist. bears. N 60 E. 4 links dist. in row Do. 4 " " " N 28 E. 5 " "
80.00	Set the post on of 17.18.19.
West	Between Sur. 7 & 18 T. J. N. R. 17.
29.00	Log Brook 24 links mid, corner S.W.
40.00	Set a post support from which, Sugar 10 in dist. bears. N 36 E. 3 links dist. to, Do. 9 " " " S. 7 W. 35 " "
81.00	Log Brook 100 links mid, corner S.
83.43	Set out the West Branch at 385 links South of the post on of 12 & 13 T. J. N. R. 27 and set a post further on " " 14 & 15 from which, Sugar 12 in dist. bears. N 36 E. 36 links dist. to,

J. No. 1 R. No. 172nd Mo. Ind.

~~Blackberry 12 in diam. beam. S 80 W 20 limbs east, fa,
Lunde the same.~~

North	Return Jul 7/18 J. J. N. R. 17.
18.00	To a Poplar. 36 in diam. in the beam.
40.00	Set a 7/8 support from which, Beck 7 in diam. beam. S 13 E 44 limbs east, fa, Lo 6 4 " " N 24 W 22 " "
46.00	To a Brook. 10 limbs mid, beam W.
80.00	Set a post. further crop. S. 6. 7. 48 from which, Beck 18 in diam. beam. South 8 limbs east, fa, Sugar. 12 " " S 8 E. 43 " " Lunde the same.
East	On a Random line between Jul 5 & 8 J. J. N. R. 17.
33.00	To a Brook 10 limbs mid, beam S. W.
40.00	Set a timber 7/8 support.
79.16	Intersect the N. 15 line. 33 limbs. South of the post crop Set. 4. 5. 8 & 9. Lunde the same.
West	On the line between Jul 5 & 8 J. J. N. R. 17.
39.38	Set the timber 7/8 support at the arched on the line beam from which, Poplar 10 in diam. beam. N 17 W 10 limbs east, under a Sugar. 5 " " N 15 E 9 " "
79.16	To the post crop. S. 6. 7 & 8.
West	Return Jul 6/17 J. J. N. R. 17.
40.00	Set a 7/8 support from which, Sugar 10 in diam. beam. N 36 E 3 limbs east, fa, Lo 9 " " S 37 W 35 " "
81.00	To a Brook 100 limbs mid, beam S.
83.143	Intersect the West Bound 385 limbs. South of the post crop. S. 1412 J. J. N. R. 17 and set a post for the crop

J. No. 1 R. No. 172nd Mo. Ind.

Jul 5 & 7 from which,

Sycamore. 21 in diam. beam. East 19 limbs east, beam.
Cedar. 12 " " " S 5 E 31 " "
Lunde the same.

West	Return Jul 7/18 J. J. N. R. 17.
23.00	To a Brook 8 limbs mid, beam S.
40.00	Set a 7/8 support. from which, N. Walnut. 36 in diam. beam. N 24 E 29 limbs east, fa, Ash. 18 " " " " S 35 W 19 " "
83.40	Intersect the West Bound 439 limbs. South of the post crop. S. 1213 J. J. N. R. 17 and set a post for the " " " " J. J. N. R. 17 from which, Sugar. 12 in diam. beam. N 36 E 36 limbs east, fa, Blackberry. 12 " " S 80 W 10 " " Lunde the same.

North	Return Jul 5 & 6 J. J. N. R. 17.
40.00	Set a 7/8 support from which, Beck 8 in diam. beam. S 27 E 24 limbs east, fa, Sugar 5 " " " N 33 W 11 " "
44.00	To a Brook. 21 limbs mid, beam W.
67.00	" " " " " " " " " " " "
80.54	Intersect the N. Bound 145 limbs East of the post crop. S. 31132 J. J. N. R. 17 and set a post for the crop " 5 & 6 from which, Sugar 12 in diam. beam. N 66 W 20 limbs east, fa, Dogwood 5 " " " S 4 W 20 " " Lunde the same.

Surv. by
Arthur Henry,
Dep't Surv.

Compd

T. N. of N. R. N. 1st 2nd Mer. Ind. a.

I certify that the foregoing Transcript of the
field notes of T. N. of N. R. N. 1st 2nd Mer. in
Ind. has been compared with the original
notes in this Office and found to be correct.
Surveyor General's Office
Cincinnati, Oct. 1/1841 S.

Sur General.

Township N. 8. South of Range N. 1 West of the 2nd Mer. Indiana

South Boundary. April 2. 1841.

West. On the South Boundary of Sec. 36 T. 8. N. R. 1 W.
From the cor of T. 8 N. R. 1 E. 1 W.

40.00 Set a post from which
W. Oak 10 in diam. bears N. 37 W. 30 units dist. to,
Lp. 18 " " N. 83 E. 19 " "

112.00 To a Brook. 8 units wide, course S. E.

80.00 Set a post from the cor of sec. 35 & 36. From which,
Stick 3 in diam. bears N. 2 E. 3 units dist. to,
W. Oak 20 " " N. 32 W. 18 " "
Poor Hilley Oak Land.

West. On the South Boundary of Sec. 35 T. 8 N. R. 1 W.

39.00 To a Brook 25 units wide, course S.

40.00 Set a post from which,
Buttment 6 in diam. bears N. 58 W. 10 units dist. to,
W. Birch 3 " " S. 59 E. 14 " "

80.00 Set a post from the cor of sec. 34 & 35. From which,
Birch 5 in diam. bears N. 12 W. 11 units dist. to,
Stick 11 " " S. 4 E. 21 " "
Middleling good land. Timber Birch.

West. On the South Boundary of Sec. 34 T. 8 N. R. 1 W.

13.50 To a Brook. 8 units wide, course N. E.

40.00 Set a post from which,
Sugar 14 in diam. bears N. 31 E. 10 units dist. to,
Birch 4 " " S. 45 W. 25 " "

80.00 Set a post from the cor of sec. 33 & 34. From which,
Sugar 18 in diam. bears N. 35 W. 27 units dist. to,
Birch 10 " " S. 8 E. 5 " "
Land same as last mile.

West. On the South Boundary of Sec. 33 T. 8 N. R. 1 W.